

# Model: 670MRL 230V ionisation smoke alarm

The 670MRL is a 230V mains powered ionisation smoke alarm with a 10 year rechargeable lithium battery back-up that will provide power to the unit in the event of a mains failure for a minimum of 6 months in standby mode. Up to 12 compatible units can be linked for simultaneous warning.

## Product features:



- 9V rechargeable lithium battery back-up
- Test & alarm pause button
- Superior sensing technology
- Multi-alarm Interlink
- LED operating indicators
- Alarm source indicator
- Push-fit connector
- Mounting base plate
- 5 year guarantee
- BS EN 14604: 2005

<b>Model number</b>	670MRL
<b>Description</b>	230V smoke alarm with lithium battery
<b>Technology</b>	Dual ionisation
<b>Sensitivity</b>	85dB at 3m
<b>Alarm sound level</b>	85dB at 3m
<b>Battery type</b>	Rechargeable lithium back up
<b>Operation AC/DC</b>	AC
<b>Installation positions</b>	Ceiling
<b>Operating temperature</b>	5°C (40°F) to 38°C (100°F)
<b>Operating humidity</b>	10% to 85% relative
<b>Storage temperature</b>	5°C (40°F) to 38°C (100°F)
<b>Storage humidity</b>	10% to 85% relative
<b>Guarantee</b>	5 years

<b>Unit dimensions</b>	133mm (diameter) x 38mm (height)
<b>Unit weight</b>	200g
<b>Pack dimensions</b>	175mm (H) x 145mm (W) x 50mm (D)
<b>Pack weight</b>	230g
<b>Master pack quantity</b>	10
<b>Master pack dimensions</b>	160mm (H) x 280mm (W) x 260mm (D)
<b>Master pack weight</b>	2600g
<b>Pack barcode</b>	5022391016786
<b>Outer barcode</b>	15022391016783
<b>Approvals</b>	Certified to BS EN 14604: 2005

Please note that specifications may be subject to change at any time.